


MISKOWSKI 2518-2524

Terms & Conditions

Electronic Supporting Information files are available without a subscription to ACS Web Editions. The American Chemical Society holds a copyright ownership interest in any copyrightable Supporting Information. Files available from the ACS website may be downloaded for personal use only. Users are not otherwise permitted to reproduce, republish, redistribute, or sell any Supporting Information from the ACS website, either in whole or in part, in either machine-readable form or any other form without permission from the American Chemical Society. For permission to reproduce, republish and redistribute this material, requesters must process their own requests via the RightsLink permission system. Information about how to use the RightsLink permission system can be found at <http://pubs.acs.org/page/copyright/permissions.html>.





S-1. Unit cell contents for compound 6.

P-2524-m1

P-2524-m2

Table S-I Atomic Parameters x, y, z and B_{eq} of compound 6. E.S.D.S. refer to the last digit printed.

	x	y	z	B _{eq}
Pt	0.37931	0.29172(5)	0.45402	2.48(3)
Cl1	0.2934 (4)	0.1139 (5)	0.3004 (4)	3.62(25)
Cl2	0.4473 (3)	0.1119 (5)	0.6108 (4)	3.6 (3)
N1	0.3129 (11)	0.4644 (16)	0.3328 (13)	3.8 (8)
N2	0.4431 (9)	0.4588 (12)	0.5804 (10)	1.8 (6)
C1	0.2429 (13)	0.4487 (18)	0.2033 (15)	2.8 (8)
C2	0.2112 (13)	0.5693 (21)	0.1221 (16)	3.8 (10)
C3	0.2456 (13)	0.7093 (20)	0.1769 (16)	3.8 (9)
C4	0.3143 (11)	0.7184 (17)	0.3078 (12)	2.2 (7)
C5	0.3449 (13)	0.6005 (18)	0.3875 (15)	3.6 (10)
C6	0.4142 (11)	0.5950 (16)	0.5246 (13)	2.6 (8)
C7	0.4501 (14)	0.7270 (19)	0.5891 (18)	4.4 (11)
C8	0.5181 (14)	0.7044 (23)	0.7297 (16)	4.4 (11)
C9	0.5537 (12)	0.5738 (19)	0.7872 (15)	3.3 (9)
C10	0.5105 (12)	0.4510 (20)	0.7126 (15)	3.3 (9)
C11	0.1370 (15)	0.538 (3)	-0.0246 (15)	5.3 (13)
C12	0.6358 (14)	0.5604 (20)	0.9287 (16)	3.5 (10)

$$B_{eq} = \frac{8}{3} \pi^2 \sum_{ij} u_{ij} a_i^* a_j^* a_i a_j$$

Table S-II Atomic Parameters x, y, z and B_{eq} of compound 8. E.S.D.'s refer to the last digit printed.

	x	y	z	B _{eq}
Pt	0.28093(5)	0.21622(4)	0.08396(3)	1.577(14)
Cl1	0.3497 (4)	0.02234(25)	0.14384(21)	3.11 (12)
Cl2	0.3388 (4)	0.3210 (3)	0.27818(19)	3.27 (13)
N1	0.2048 (10)	0.1313 (7)	-0.0903 (6)	2.0 (4)
N2	0.2304 (10)	0.3793 (7)	0.0189 (6)	2.0 (3)
C1	0.1964 (14)	-0.0022 (9)	-0.1343 (8)	2.5 (5)
C2	0.1033 (14)	-0.0665 (9)	-0.2545 (8)	2.5 (5)
C3	0.0005 (14)	0.0022 (9)	-0.3234 (7)	2.4 (5)
C4	0.0042 (12)	0.1394 (8)	-0.2764 (7)	1.8 (4)
C5	0.1241 (12)	0.2088 (8)	-0.1615 (7)	1.5 (4)
C6	0.2702 (13)	0.5133 (8)	0.0873 (7)	2.1 (4)
C7	0.2655 (14)	0.6300 (8)	0.0383 (8)	2.5 (5)
C8	0.2278 (14)	0.6137 (8)	-0.0835 (8)	2.3 (5)
C9	0.1879 (12)	0.4820 (8)	-0.1524 (7)	1.8 (4)
C10	0.1759 (12)	0.3620 (8)	-0.1016 (7)	1.7 (4)
C11	-0.1440 (13)	0.1958 (9)	-0.3436 (7)	2.1 (4)
C12	-0.3646 (17)	0.1772 (12)	-0.5337 (9)	4.3 (6)
C13	0.1755 (14)	0.4809 (8)	-0.2799 (8)	2.1 (5)
C14	0.2445 (16)	0.3811 (10)	-0.4522 (8)	3.4 (6)
O1	-0.2068 (10)	0.2833 (7)	-0.2987 (5)	3.2 (4)
O2	-0.2018 (9)	0.1368 (6)	-0.4590 (5)	2.8 (3)
O3	0.1210 (11)	0.5673 (7)	-0.3294 (6)	4.1 (4)
O4	0.2416 (10)	0.3860 (6)	-0.3315 (5)	2.6 (3)

$$B_{eq} = \frac{8}{3} \pi^2 \sum_{ij} u_{ij} a_i^* a_j^* a_i a_j$$

P-2524-m3

Table S-III. Thermal Parameters for Compound 6. Values are anisotropic except for Hydrogen, for which $U \cdot 100$ is given.

	u11(U)	u22	u33	u12	u13	u23
Pt	3.457(22)	1.739(23)	4.14(3)	-0.15(12)	1.928(20)	-0.26(13)
C11	5.8 (3)	2.45 (23)	5.4 (3)	-0.78(21)	2.87 (23)	-1.05(22)
C12	4.98 (24)	2.62 (24)	6.1 (3)	0.38(20)	2.88 (23)	0.80(22)
N1	4.3 (8)	3.4 (9)	6.3 (10)	-0.2 (7)	2.5 (7)	0.5 (8)
N2	3.4 (6)	0.9 (6)	2.9 (6)	-0.2 (5)	1.9 (5)	0.7 (5)
C1	4.5 (9)	2.8 (9)	4.2 (9)	-0.5 (8)	2.8 (8)	0.6 (8)
C2	4.4 (10)	4.9 (13)	6.2 (12)	0.0 (9)	3.4 (9)	1.2 (10)
C3	4.0 (9)	3.2 (10)	5.9 (11)	0.2 (8)	1.6 (8)	2.4 (10)
C4	3.4 (7)	1.9 (8)	2.9 (7)	-0.7 (7)	1.5 (6)	-0.8 (7)
C5	5.1 (11)	3.4 (10)	6.8 (12)	0.2 (8)	4.3 (10)	1.3 (9)
C6	2.2 (7)	1.6 (8)	5.1 (10)	0.2 (6)	1.2 (7)	0.3 (7)
C7	5.9 (11)	1.9 (9)	8.8 (14)	-1.5 (9)	3.6 (11)	-2.4 (10)
C8	5.1 (10)	6.1 (14)	6.2 (12)	-0.8 (11)	3.4 (9)	-2.3 (12)
C9	3.2 (8)	4.3 (12)	3.8 (10)	-0.4 (8)	0.9 (7)	-0.2 (8)
C10	3.2 (8)	5.0 (12)	4.3 (10)	0.5 (8)	1.9 (8)	0.9 (9)
C11	3.6 (9)	12.8 (22)	2.2 (10)	1.2 (11)	0.4 (8)	0.6 (12)
C12	5.3 (10)	4.0 (11)	4.8 (11)	-1.0 (9)	3.3 (9)	-1.3 (9)
H1	4.3					
H3	5.7					
H4	3.9					
H7	6.1					
H8	6.0					
H10	5.3					
H11A	6.2					
H11B	6.2					
H11C	6.2					
H12A	5.3					
H12B	5.3					
H12C	5.3					

P-2524-m4⁶

Table S-IV. Thermal Parameters for Compound 8. Values are anisotropic except for Hydrogen, for which U*100 is given.

	u11(U)	u22	u33	u12	u13	u23
Pt	2.013(17)	2.341(16)	1.520(16)	0.666(14)	0.356(14)	0.422(13)
Cl1	4.92 (16)	4.23 (14)	3.36 (14)	2.34 (13)	1.03 (12)	1.63 (12)
Cl2	5.47 (17)	4.45 (14)	1.66 (12)	0.97 (13)	0.59 (12)	0.15 (11)
N1	2.8 (4)	3.4 (4)	1.4 (4)	1.1 (4)	0.4 (3)	0.2 (3)
N2	2.4 (4)	2.4 (4)	2.8 (4)	0.8 (3)	0.8 (4)	0.2 (3)
C1	4.1 (6)	2.3 (5)	3.6 (6)	2.2 (5)	0.8 (5)	0.8 (4)
C2	4.3 (6)	3.0 (5)	2.4 (5)	1.8 (5)	0.9 (5)	0.1 (4)
C3	3.6 (6)	2.6 (5)	2.2 (5)	0.6 (4)	0.8 (4)	0.1 (4)
C4	2.7 (5)	2.1 (4)	1.9 (5)	0.7 (4)	0.8 (4)	0.4 (4)
C5	2.3 (5)	1.7 (4)	2.0 (5)	1.0 (4)	0.9 (4)	0.6 (4)
C6	3.6 (6)	2.5 (5)	1.3 (5)	1.1 (4)	0.1 (4)	-1.3 (4)
C7	4.4 (6)	1.9 (5)	3.1 (6)	1.2 (5)	1.2 (5)	-0.3 (4)
C8	4.1 (6)	2.1 (5)	2.7 (5)	1.0 (4)	1.1 (5)	0.7 (4)
C9	2.6 (5)	1.4 (4)	2.6 (5)	0.8 (4)	0.7 (4)	-0.1 (4)
C10	2.0 (5)	2.8 (5)	1.1 (4)	0.7 (4)	0.0 (4)	-0.3 (4)
C11	2.7 (5)	2.6 (5)	2.3 (5)	0.3 (4)	0.6 (4)	0.6 (4)
C12	5.1 (7)	7.6 (8)	3.1 (6)	2.7 (7)	-0.7 (6)	1.1 (6)
C13	4.2 (6)	1.0 (4)	3.4 (5)	1.4 (4)	1.1 (5)	1.5 (4)
C14	6.5 (8)	3.7 (6)	2.0 (5)	0.6 (6)	1.5 (5)	0.0 (4)
O1	4.7 (4)	5.0 (4)	2.6 (4)	2.9 (4)	0.1 (3)	-0.2 (3)
O2	4.4 (4)	4.5 (4)	1.2 (3)	1.7 (3)	-0.3 (3)	-0.1 (3)
O3	6.7 (5)	6.7 (5)	3.5 (4)	3.2 (4)	2.2 (4)	2.4 (4)
O4	5.2 (4)	3.2 (3)	2.3 (4)	1.4 (3)	2.3 (3)	1.2 (3)
H1	4.1					
H2	4.2					
H3	3.9					
H6	3.6					
H7	4.2					
H8	3.8					
H12A	6.0					
H12B	6.0					
H12C	6.0					
H14A	4.9					
H14B	4.9					
H14C	4.9					